HK854080XB 30" Ceramic Electric Cooktop



HK854080XB

30" Ceramic Electric Cooktop



COOKTOP PERFORMANCE

• 4 Hi-Lite zones with 9 power levels

1 x 14.5cm Single Zones: 1200 Watts

1 Expandable Double Zone:

- 1 x 12cm Single Zone: 700 Watts
- 1 x 18cm Single Zone: 1700 Watts

1 Expandable Triple Zone:

- 1 x 14.5cm Single Zone: 1050 Watts
- 1 x 21cm Expanded Zone: 1950Watts
- 1 x 27cm Expanded Zone: 2700Watts

1 Expandable Casserole/Multi-purpose Zone:

- 1 x 17cm Single Zone: 1400 Watts
- 1 x 21cm Expanded Zone: 2200Watts

COOKTOP FEATURES

- 30" (76cm) ceramic electric cooktop
- Stainless steel trim
- DirekTouch slide design touch controls
- 4 Hi-Lite zones with 14 power levels
- Automatic heat-up function
- LED displau indicating power levels
- OptiFit cooktop with extendable cooking zone
- Adjustable timer max 99 mins.
- Stop+Go function
- Child safety lock
- Residual heat indicator
- 2" deep for easy installation

COOKTOP DIMENSIONS

- D: 20^{5/16}" x W: 30^{3/16}"
- D: 516mm x W: 766mm

CUT-OUT DIMENSIONS


- D: 19^{1/2}" x W: 29^{1/2}"
- D: 495mm x W: 750mm

ELECTRICAL REQUIREMENTS

- 208 / 230 Volt, 60Hz, 40 AMP, 7800W
- AEG Cooktops are supplied with a 5' long electrical cable and must be hard wired to the electrical supply.



HK854080XB




Specifications are subject to change without notice. Detailed Specification Available at www.aeg-appliances.ca


EAEG

HK854080XB

INSTALLING OVER BUILT-IN OVEN

- There must be a minimum of 20mm (13/16") of space left between the bottom of the cooktop and the oven to allow air to flow.
- There must be a minimum of 5mm (3/16") of space left between the counter top and the door panel of a built-in oven / drawer.
- If sufficient air flow is not provided, the life of the appliance will be shortened.






Specifications are subject to change without notice.

Detailed Specification Available at www.aeg-appliances.ca

EAEG

HK854080XB

RECOMMENDED CABINET DESIGN




Specifications are subject to change without notice. Detailed Specification Available at www.aeg-appliances.ca



HK854080XB

RECOMMENDED CABINET MINIMUM CLEARANCE



* Minimum clearance from cooktop cut-out to combustible materials up to 18" (457mm) above countertop

EAEG

Specifications are subject to change without notice. Detailed Specification Available at www.aeg-appliances.ca **AEG** products are designed and built to the highest standards. Each appliance is covered by a comprehensive 2 year parts and labour warranty.

Refer to product warranty policy for complete terms and conditions.

For Service & Parts EURO-PARTS

39822 Belgrave Rd, Belgrave, Ontario, Canada, N0G 1E0

1.800.678.8352

AEG appliances are imported and distributed in North America by Euro-Line Appliances Inc. For more information visit www.euro-line-appliances.com / www.elawest.com

EURO-LINE APPLIANCES INC.

871 Cranberry Court Oakville, ON L6L 6J7 Canada Toll Free: 1.800.421.6332 Showroom: 905.829.3980 marketing@euro-line-appliances.com

EURO-LINE APPLIANCES WEST INC.

2912 West 4th Ave Vancouver, BC V6K 1R2 Canada Toll Free: 1.855.ELA WEST (352.9378) Showroom: 604.235.3980 info@elawest.com