

# 24" Compact Washer

500 Series Washer with Home Connect® – WAW285H1UC



**BOSCH**  
Invented for life



**WAW285H1UC**  
White

The 500 Series laundry pair is recognized as **ENERGY STAR® Most Efficient of 2021** and offers fast wash and dry cycles.

## Features & Benefits

The Bosch 500 Series Washer with Home Connect® can be operated from anywhere.

AquaShield® hose provides protection against water damage.

EcoSilence™ motor delivers quiet, efficient and long lasting performance.

SpeedPerfect® provides up to 40% faster washing time.\*

At 2.2 cu. ft. Bosch washers are compact in size without sacrificing capacity so you can fit a variety of loads.

## General Properties

|                               |   |
|-------------------------------|---|
| Tub material                  | Stainless Steel                           |
| Maximum spin speed            | 1,400 rpm                                 |
| Interior light                | No  |
| Leak protection systems       | AquaShield® Hose                          |
| Internal water heater         | Yes                                       |
| Stackable                     | Yes with Stacking Kit Accessory           |
| Silence level – washing       | 52 dBA                                    |
| Silence level – spinning      | 72 dBA                                    |
| Programs (No.), [Special]     | (14), [Sanitize, Outdoor / Sport]         |
| Options (No.), [Special]      | (10), [Remote Start, EcoPerfect™, Stains] |
| Home Connect™ (Wi-Fi enabled) | Yes                                       |
| Energy consumption            | 84 kWh/yr                                 |
| Water consumption             | 2,379 gal/yr                              |
| ENERGY STAR® certified        | Most Efficient of 2021                    |

## Capacity

|          |             |
|----------|-------------|
| Capacity | 2.2 cu. ft. |
|----------|-------------|

## Design Elements

|                          |                      |
|--------------------------|----------------------|
| Door ring                | Silver               |
| Control type             | Premium LED touch    |
| Dial                     | Illuminated jog dial |
| Bosch logo on door glass | Yes                  |

## Technical Details

|                 |               |
|-----------------|---------------|
| Watts           | 2,520 W       |
| Circuit breaker | 15 A**        |
| Volts           | 208/220-240 V |
| Current         | 10.5 A        |
| Frequency       | 60 Hz         |

## Technical Details Continued

|                              |                                  |
|------------------------------|----------------------------------|
| Power Cord (included) [Type] | (Yes) [240V; NEMA 6-15, 3-prong] |
| Power cord length            | 63" (Full Length)                |
| Drain hose length            | 57" (Full Length)                |
| Inlet hose length            | 59" (Full Length)                |
| Door hinge                   | Left Side (Not Reversible)       |

## Dimensions & Weight

|                                      |                         |
|--------------------------------------|-------------------------|
| Overall appliance dimensions (HxWxD) | 33 1/4" x 23 1/2" x 25" |
| Net weight                           | 160 lbs                 |
| Minimum stack height                 | 67 3/4"                 |

†ADA compliance


- Meets ADA height and access requirements *when installed on pedestal.*
- Meets ADA operable parts requirements for controls and detergent dispenser.

## Accessories

|   |            |
|---|------------|
| Short Stainless Steel Hose (If needed for plumbing box clearance with AQS hose) | P/N 645787 |
|---|------------|



**WTZ11400UC**  
Stacking Kit with Shelf



**WTZ20410UC**  
Stacking Kit without Shelf



**WMZPW20W**  
Pedestal



**WTZPA20UC**  
Power Adapter  
(Included with Dryer)

Matching Bosch Dryer is supplied with a Power Adapter to fit into a standard 4-Prong, 30A, Dryer receptacle (NEMA 14-30R) and power both Bosch Washer and Dryer.

Note: Use of two individual NEMA 6-15R or 6-20R receptacles/circuits may be used as an alternative to power Washer and Dryer.



\*As compared to Perm Press Heavy Soil cycle without SpeedPerfect®

\*\*Stated circuit breaker size is if the appliance is plugged into an individual 240/208V, 15A minimum branch circuit.

**Accessories:** To purchase Bosch accessories, cleaners & parts please visit [www.bosch-home.com/us/store](http://www.bosch-home.com/us/store) or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

**Notes:** All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

**Warranties:** Please see Use & Care manual or Bosch website for statement of limited warranty.

**For more information on our entire line of products, go to [www.bosch-home.com/us](http://www.bosch-home.com/us) or call 1-800-944-2904**



© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

# 24" Compact Washer

500 Series Washer with Home Connect® – WAW285H1UC



## Installation Details



**Accessories:** To purchase Bosch accessories, cleaners & parts please visit [www.bosch-home.com/us/store](http://www.bosch-home.com/us/store) or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

**Notes:** All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

**Warranties:** Please see Use & Care manual or Bosch website for statement of limited warranty.

**For more information on our entire line of products, go to [www.bosch-home.com/us](http://www.bosch-home.com/us) or call 1-800-944-2904**

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

2/21

# 24" Compact Washer


500 Series Washer with Home Connect® – WAW285H1UC



**BOSCH**  
Invented for life

## Installation Details

Reach of Power cords + Adapter (Not to Scale)




A: Dryer  
B: Washer  
C: Power Adapter  
All references to NEMA 14-30R  
Dryer receptacles in this document  
have the orientation with the  
ground pin up.


Use of two individual NEMA 6-15R or  
6-20R receptacles may be used  
as alternative means to power  
Washer and Dryer.

Dimensions reflect use of stacking kits.

## Optional Pedestal



Guidance for location of Dryer receptacle  
and Water taps to minimize depth  
allowance (Not to Scale)



A: Dryer  
B: Washer  
C: Axis lines, in shaded areas, indicate Center  
Line of home's Dryer receptacle for minimal  
depth allowance if located entirely behind  
appliances.  
D: Minimum Stack Height (with Stacking Kit)  
E: Hatched area - indicates location for  
home's Hot and Cold water taps/outlets  
for minimal depth if located entirely behind  
appliances.

Installer / Customer is responsible for fit,  
function, maintenance and safety of utility  
installation.

measurements in inches

**Accessories:** To purchase Bosch accessories, cleaners & parts please visit [www.bosch-home.com/us/store](http://www.bosch-home.com/us/store) or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

**Notes:** All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

**Warranties:** Please see Use & Care manual or Bosch website for statement of limited warranty.

**For more information on our entire line of products, go to [www.bosch-home.com/us](http://www.bosch-home.com/us) or call 1-800-944-2904**

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

# 24" Compact Washer


500 Series Washer with Home Connect® – WAW285H1UC



**BOSCH**  
Invented for life

## Installation Details

**Closet: Stacked Washer and Condensing Dryer**



**Minimum clearance requirements**  
(Stacked, Stand Alone or Side by Side):


- A: Both sides (left and right) –  $\frac{5}{8}$ "
- B: Top –  $\frac{6}{4}$ "
- C: Rear –  $2\frac{1}{2}$ "
- D: Front –  $2\frac{1}{2}$ "

**Minimum louvered area and spacing:**


- E: Top louver area – 63 sq. in.
- F: Bottom louver area – 63 sq. in.
- G: Lower Height (stacked) – 37"
- H: Upper Height (stacked) – 26"
- J: Lower Height (stand alone) – 3"
- K: Upper Height (stand alone) – 29"

For shortest drying times keep closet door open while dryer is operating. When closet doors are closed, open areas only allow minimal drying results (expect long drying times).

**Closet: Stand Alone (shown) or Side by Side**



**Closet: Stacked Washer with Heat Pump Dryer**



**Minimum clearance requirements**  
(Stacked, Stand Alone or Side by Side):


- A: Both sides (left and right) –  $\frac{1}{2}$ "
- B: Top –  $\frac{6}{4}$ "
- C: Rear – 3"
- D: Front –  $\frac{1}{2}$ "

**Minimum door undercut (louvered area):**

- E: Undercut height (Top and Bottom) –  $1\frac{1}{4}$ "  
Louvered areas of equal total sizes and split between upper and lower portions of door are permitted.
- F: Undercut width (Top and Bottom):  
– 24" minimum for Stacked and Stand Alone  
– 48" minimum for Side by Side

For shortest drying times keep closet door open while dryer is operating. When closet doors are closed, open areas only allow minimal drying results (expect long drying times).

**Under Counter (Preferred)**




**Minimum opening dimensions:**

- A: Depth – 28"
- B: Width –  $23\frac{3}{8}$ "
- C: Height –  $34\frac{1}{2}$ "

Front of appliance fully open.  
No doors or coverings.

**Under Counter Enclosed (Less Preferred)**



If the front of the appliance is covered, louvered openings must be installed as shown and front/rear clearances adhered to according to closet installations.

**Minimum louvered area and spacing:**

- E: Top louver area – 63 sq. in.
- F: Bottom louver area – 63 sq. in.
- G: Lower Height – 3"
- H: Upper Height – 14"

For shortest drying times keep cabinet door open while dryer is operating. When cabinet door is closed, open areas only allow minimal drying results (expect long drying times).

measurements in inches

**Accessories:** To purchase Bosch accessories, cleaners & parts please visit [www.bosch-home.com/us/store](http://www.bosch-home.com/us/store) or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

**Notes:** All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

**Warranties:** Please see Use & Care manual or Bosch website for statement of limited warranty.

**For more information on our entire line of products, go to [www.bosch-home.com/us](http://www.bosch-home.com/us) or call 1-800-944-2904**

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.