QUICK REFERENCE GUIDE > BE1-48RCI-L Date: 20.09.2023 > 1

48" Grill with Infrared Sear Burner, LP Gas

Series 9

Stainless Steel | LPG




Taking your grilling experience to the next level, this Series 9 built-in 48" grill provides the ultimate grilling space for premium outdoor kitchens.

- Infrared sear burner for incredibly fast searing up to 24,000 BTU/hr
- Cater for a crowd with the secondary cooking surface
- Build into an outdoor BBQ island, or add a cart for a freestanding grill
- U-burners deliver 25,000 BTU/hr total power per burner with precise heat control from 300°F to 1100°F

DIMENSIONS

Height 27 1/4"
Width 47 15/16"

Depth 26 7/8"



FFATURES & BENFFITS

THE PERFECT SEAR

A dedicated searing zone with a dynamic infrared burner allows you to experience a new level of versatility, using a range of cooking methods. The improved dual rail design offers increased control and faster heating, so you can achieve the perfect sear every time.

CHARCOAL SMOKER TRAY

Enjoy a smoky barbecue flavour with the ease of instant gas flame ignition. Grill directly on the cooking grate or add wood chips for extra smoke. A W-shaped tray with adjustable vents helps the charcoal last longer.

HEAVY-DUTY INFRARED ROTISSERIE

An infrared rotisserie burner provides controlled searing heat up to 18,000BTU. Perfect for entertaining, the heavy-duty motor can easily turn a 50lb load. The rotisserie rod is conveniently stored under the drip pan handle.

INTUITIVE LIGHTING

Brilliant 12-volt lighting safely illuminates the entire grilling surface when you open the lid. Ideal for night-time cooking, the bezel dial lighting glows white when the grill is on, and orange when the gas and grill are in use.

EASY LIFTING HOOD

The hood can be opened using one hand for better access and visibility when cooking. You can easily accommodate larger food loads with extra space under the hood.

EXTRA COOKING AREA

Effortlessly cook for a crowd with a secondary cooking space. You can fit a grill pan for slow cooking, roasting and making sauces, or to keep food warm after searing.

GREASE MANAGEMENT SYSTEM™

Our Grease Management System™ reduces flare-ups by channelling grease and oils away from the burner flames during grilling.

SPECIFICATIONS

Accessories (sold separately)

6" accessory storage ASE6-48

Built-in grill cover ACBI-48E

Griddle plate BGC-GP

Insulated jacket BGA48-IJS (optional)

Insulated jacket (if accessory BGA54-IJS (optional)

On cart grill cover ACC-48E



QUICK REFERENCE GUIDE > BE1-48RCI-L Date: 20.09.2023 > 2

Optional cart mount	CAD-48E	LP hose
Burners		Operation
Number of U-burners	3	Supply I
Sear burner zone	•	Installat
		Cutout
Cooking Surface Area		Cutout h
Primary cooking area	855sq.in.	Cutout
Secondary cooking area	738sq.in.	Insulate
Total cooking area	1593sq.in.	
		Perform
Features		Rotisser
Double sided grilling grates	flat and angled position	Sear bui
Full charcoal burner/smoker	•	Total Po
Full surface searing	•	U-burne
Grease management system™	•	Weight
Hood temperature gauge	•	
Ignition system	Hot surface	Power r
Metal dials	•	Rotisser
Rotisserie	•	Supply f
Secondary cooking	2-level racks and tray	Supply
Wireless temperature sensor	•	
		Product
Finish		Depth
Material	304 grade stainless steel	Height
Weather resistant	•	Width
Gas Requirements		
1/2" NPT male	•	SKU
Gas type	LPG	


LP hose with regulator and	•	
Operational pressure	11" W.C.	
Supply Pressure	12" to 14" W.C.	
Installation Dimensions		
Cutout depth (proud)	22 3/4"	
Cutout height (proud)	10 1/8"	
Cutout width (proud)	45 3/4"	
Insulated jacket for proud cut-	Varies - check manual	
Performance		
Rotisserie burner power	18000 BTU	
Sear burner power	24000 BTU	
Total Power	117000 BTU	
U-burner power	25000 BTU	
Weight rotisserie can handle	50lbs	
Power requirements		
Rotisserie power supply	120V 60Hz	
Supply frequency	60Hz	
Supply voltage	120V	
Product dimensions		
Depth	26 7/8"	
Height	27 1/4"	
Width	47 15/16"	
sku	71592	

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? DCS by Fisher & Paykel Appliances Limited 2020



QUICK REFERENCE GUIDE > BE1-48RCI-L Date: 20.09.2023 > 3

Other product downloads available at dcsappliances.com



User Guide Outdoor Grill

Installation Guide Outdoor Grill

Data Sheet

A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 **W**www.dcsappliances.com