QUICK REFERENCE GUIDE > OR30SCI6R1 Date: 01.04.2021 > 1

# Induction Range, 30", 4 Zones, Self-cleaning

Series 9 | Classic

Red



Blending heritage styling and contemporary performance, including convection oven and an instant-response induction cooktop.

- Four induction cooking zones with immediate heat response and precise control
- Convection oven with 3.5 cu ft total capacity and nine oven functions including Roast and Aero™Pastry
- Self-cleaning function breaks down food residue for an easy clean
- Non-tip full-extension shelves for safe removal of hot dishes

# **DIMENSIONS**

Height	35 <sup>3</sup> / <sub>4</sub> - 37 <sup>5</sup> / <sub>8</sub> "
Width	29 <sup>7</sup> / <sub>8</sub> "
Depth	25 <sup>1</sup> / <sub>4</sub> "

### **FEATURES & BENEFITS**

# **Outstanding Performance**

Discover the flexibility to get creative in the kitchen with nine oven functions including Bake, Roast, and Aero™ Pastry with Pizza Bake.

#### Power & control

The induction cooktop provides instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

### Generous capacity

The generous 3.5 cu ft total capacity for this range gives you plenty of space to cook multiple dishes at the same time.

# Quality and durability

Every detail has been carefully crafted, from the heritage design cues, to the solid, perfectly balanced soft-close door, and to the chromed cast zinc dials. They all add up to an exceptional, premium range.

#### Easy to clean

The self-clean function reduces grease and food residue to an easily removable light ash and the cooktop simply needs a quick wipe to keep it looking good as new. The oven door and runners can also be removed for easy cleaning.

### Safe and sound

Designed for your safety and convenience, this range features

full extension telescopic sliding shelves, a triple-glazed CoolTouch door, and a child lock.

## **SPECIFICATIONS**

Accessories	
2-pc grill system (Broil pan and	•
Broil pan	•
Full extension sliding shelves	2 sets (part 578776)
Hob rear trim (optional)	3" (part 81656)
Kick strip, stainless steel	Part 81660
Pyrolytic proof shelf runners	1 set
Capacity	
Total capacity	3.6 cu ft
Usable capacity	2.9 cu ft
Cleaning	
Acid resistant graphite enamel	•
Drop down grill element	•
Flat easy clean glass surface	•
Pyrolytic proof shelf runners	•
Pyrolytic self-clean	•
Removable oven door	•
Removable shelf runners	•
Controls	
Audio feedback	•
Automatic cooking/minute	•
Automatic pre-set	•

QUICK REFERENCE GUIDE > OR30SCI6R1 Date: 01.04.2021 > 2

Celsius/Fahrenheit	•	Pastry Bake with Pizza mode	
Electronic clock	•	Rapid proof	
High resolution display	•	Roast	
Interior light	•	Self-clean	
_aser etched graphics	•	True Aero	
Precise electronic temperature	•		
Sabbath mode	•	Oven performance	
Toughened fused glass	•	CoolTouch door	Triple glazed doo
Furned stainless steel clock	•	Grill power	4050W
Turned stainless steel dials	•	Warming drawer power	220W
lain oven features		Power requirements	
Shelf positions	7	Amperage	51A (Recommended Electrica
		Supply frequency	60Hz
Oven features		Supply voltage	120 - 240\
Automatic rapid pre-heat	•		
Electronic oven control	•	Product dimensions	
Full extension telescopic	2 sets (part 578776)	Depth	25 <sup>1</sup> / <sub>4</sub>
nternal light	2 x 25W halogen (rear)	Height	35 <sup>3</sup> / <sub>4</sub> - 37 <sup>5</sup> / <sub>8</sub>
Pyrolytic proof shelf runners	•	Installation cutout dimensions	25 1/4
Pyrolytic self-clean	•	Installation cutout dimensions	30
Soft open/close door	•	Width	29 <sup>7</sup> / <sub>8</sub>
rue convection	•		
		Rangetop features	
even functions		Auto heat reduce	
Aero Bake	•	Gentle heat	2 setting
Aero Broil	•	Heat settings	9
Aero™ Pastry with Pizza mode	•	Induction cooking technology	
Maxi Broil	•	PowerBoost	

Rangetop Performance	
Left front zone rating	1850 - 3000W
Left rear zone rating	1850 - 3000W
PowerBoost all zones	up to 3000W
Right front zone rating	1400 - 2200W
Right rear zone rating	2300 - 3700W
Safety	
Advanced cooling system	•
Anti-tilt bracket	•
Balanced oven door	•
Catalytic venting system	•
Child lock	•
CoolTouch door	•
Full extension telescopic	•
Non-tip shelves	•
Pan detection system	•
Safety time out	•
Spill containment	1/8 gallon
Spillage auto off	•
Surface hot indicators	•
Warranty	
Parts and labour	2 years
SKU	8196-

TEST The product dimensions and specifications in this page apply to the specific

QUICK REFERENCE GUIDE > OR30SCI6R1 Date: 01.04.2021 > 3

product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

# Other product downloads available at fisherpaykel.com



User Guide



Energy Label



Service & Warranty Booklet



Installation Guide



# A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

**T** 1.888.936.7872 **W**www.fisherpaykel.com