QUICK REFERENCE GUIDE > OR36SCI6B1

# Induction Range, 36", 5 Zones with SmartZone, Self-cleaning

Series 9 | Classic

Black



Heritage styling meets modern performance, including an induction cooktop with the ability to pair zones to create a large cook zone.

- Five induction cooking zones that can be bridged to form two "SmartZones"
- Convection oven with 4.9 cu ft total capacity and nine oven functions including Roast and Aero™Pastry
- Self-cleaning function breaks down food residue for an easy clean
- Non-tip full-extension shelves for safe removal of hot dishes

## **DIMENSIONS**

Height  $35\sqrt[3]{_4} \cdot 37\sqrt[1]{_4}$  " Width  $35\sqrt[7]{_8}$  " Depth  $25\sqrt[1]{_4}$  "

#### **FEATURES & BENEFITS**

## **Outstanding Performance**

Discover the flexibility to get creative in the kitchen with nine oven functions including Bake, Roast, and Aero™ Pastry with Pizza Bake. The AeroTech™ system circulates air evenly throughout the entire oven, perfect for multi-shelf cooking.

#### Power & control

The induction cooktop provides instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

#### Large capacity

The large 4.9 cu ft total capacity for this range gives you plenty of space to cook multiple dishes at the same time.

### Quality and durability

Every detail has been carefully crafted, from the heritage design cues, to the solid, perfectly balanced soft-close door, and to the chromed cast zinc dials. They all add up to an exceptional, premium range.

### Easy to clean

The self-clean function reduces grease and food residue to an easily removable light ash and the cooktop simply needs a quick wipe to keep it looking good as new. The oven door and runners can also be removed for easy cleaning.

## Safe and sound

Designed for your safety and convenience, this range features full extension telescopic sliding shelves, a quadruple-glazed CoolTouch door, and a child lock. Induction cooktops heat only the cookware, not the elements, so they are much safer in family kitchens.

## **SPECIFICATIONS**

Accessories			
2-pc grill system (Broil pan and	•		
Broil pan	•		
Broil rack	•		
Full extension sliding shelves	2 sets (part 578755)		
Hob rear trim (optional)	3" (part 81654)		
Kick strip, stainless steel	Part 81659		
Pyrolytic proof shelf runners	1 set		
Capacity			
Shelf positions	7		
Total capacity	4.9 cu ft		
Usable capacity	4.3 cu ft		
Cleaning			
Acid resistant graphite enamel	•		
Drop down grill element	•		
Flat easy clean glass surface	ture		
Pyrolytic proof shelf runners	•		
Pyrolytic self-clean	•		
Removable oven door	•		
Removable shelf runners	•		

QUICK REFERENCE GUIDE > OR36SCI6B1

Controls					
Audio feedback	•	Oven functions		Rangetop features	
Automatic cooking/minute	•	Aero Bake	•	Auto heat reduce	•
Automatic pre-set	•	Aero Broil	•	Dual zones	•
Bright chromed, cast zinc dials	•	Aero™ Pastry with Pizza mode	•	Gentle heat	3 settings
Celsius/Fahrenheit	•	Bake	•	Heat settings	9
Electronic clock	•	Maxi Broil	•	Induction cooking technology	•
High resolution display	•	Number of functions	9	PowerBoost	•
Interior light	•	Pastry Bake with Pizza mode	•	SmartZone	•
Laser etched graphics	•	Rapid proof	•	Zone bridging	•
Precise electronic temperature	•	Roast	•		
Sabbath mode	•	Self-clean	•	Rangetop Performance	
Toughened fused glass	•	True Aero	•	Centre	1850 - 2600W
Turned stainless steel clock	•			Left front zone rating	2100 - 3700W
Turned stainless steel clock	•	Oven performance		Left rear zone rating	2100 - 3700W
		Broil power	4300W	Number of cooking zones	5
Oven features		CoolTouch door	Quadruple glazed	PowerBoost	up to 5500W
AeroTech™ technology	•	Warming drawer power	220W	PowerBoost all zones	•
Automatic rapid pre-heat	•			Right front zone rating	2100 - 3700W
Concealed element	•	Power requirements		Right rear zone rating	2100 - 3700W
Convection	•	Amperage 65A	(Recommended Electrical		
Electronic oven control	•	Supply frequency	60Hz	Safety	
Full extension telescopic	2 sets (part 578744)	Supply voltage	120 - 240V	Advanced cooling system	•
Internal light	4 x 25W halogen (2 side & 2			Anti-tilt bracket	•
Pyrolytic proof shelf runners	•	Product dimensions		Balanced oven door	•
Pyrolytic self-clean	•	Depth	25 <sup>1</sup> / <sub>4</sub> "	Catalytic venting system	
Self-cleaning	•	Height	35 <sup>3</sup> / <sub>4</sub> - 37 <sup>1</sup> / <sub>4</sub> "	Child lock	•
Soft open/close door	•	Installation cutout dimensions	25 1/4 "	CoolTouch door	•
Twin cavity fans	•	Installation cutout dimensions	36 "	Full extension telescopic	•
			- <del>-</del>		

Width

35 <sup>7</sup>/<sub>8</sub> "

Non-tip shelves

Warming drawer

QUICK REFERENCE GUIDE > OR36SCI6B1 Date: 01.04.2021 > 3

Pan detection system	•
Safety time out	•
Spill containment	3/8 gallon
Spillage auto off	•
Surface hot indicators	•
Warranty	
Parts and labour	2 years

TEST The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

SKU

# Other product downloads available at fisherpaykel.com



User Guide



Energy Label



Service & Warranty Booklet



81966

Installation Guide



## A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

**T** 1.888.936.7872 **W**www.fisherpaykel.com