Dual Fuel Range, 48", 6 Burners with Griddle

Series 9 | Professional

Stainless Steel | Natural gas



With intuitive touchscreen and specialized cooking functions across two ovens, this range is a stand-out addition to your kitchen.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- Gas cooktop with griddle and a top burner heat up to 23,500 BTU, for seriously fast boiling
- 6.9 cu ft total oven capacity across two oven cavities
- Use the food probe to monitor your cooking real time

DIMENSIONS

Height	35 3/4 - 36 3/4"
Width	47 7/8"
Depth	29 1/8″

FEATURES & BENEFITS

COOK WITH CONFIDENCE

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

GENEROUS CAPACITY

Two independently operating cavities provide a large total capacity of 4.8 cu. ft. in the main cavity and 2.1 cu. ft. in the secondary. That's enough room for a 32 lb turkey in one oven, and your sides in the other.

COOKING FLEXIBILITY

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions in the main cavity and 11 in the secondary have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

COOKTOP POWER

Sealed dual flow burners deliver cooktop power up to 23,500 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames.

DESIGN QUALITY

This range has craftsmanship in every detail, with real stainless

FISHER & PAYKEL

steel, cast-iron trivets, and beautifully weighted, halo illuminated

dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

EASY TO CLEAN

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

SPECIFICATIONS

Accessories	
Adjustable feet covers	•
Branded coin end cap	•
Square handle option	AH-R48

Burner ratings

Maximum burner power	23500 BTU
Power back centre	18500BTU
Power back left	18500BTU
Power back right	18500BTU
Power front centre	18500BTU
Power front left	23500BTU
Power front right	18500BTU
Power griddle	18000BTU
Total cooktop power	134000 BTU

Capacity

Shelf positions	5
Shelf positions	5

Cleaning

QUICK REFERENCE GUIDE > RDV3-486GD N

	•
Controls	
Dial with illuminated halo	
Dual control oven dials	•
High resolution display	•
Multi-language interface	•
Precise cooking with food	•
Recipe and food based	•
Sabbath mode	•
Tilting touch screen interface	•
Wi-Fi connectivity	•
Gas Requirements	
Fitting and pipe	½ NPT, min. 5⁄8″ 🛛 flex line
Supply Pressure (natural gas)	6" to 9" W.C
Oven features	
Oven features Concealed element	
	•
Concealed element	•
Concealed element Electronic oven control	•
Concealed element Electronic oven control Food probe	•
Concealed element Electronic oven control Food probe Full extension telescopic	•
Concealed element Electronic oven control Food probe Full extension telescopic Internal light	•
Concealed element Electronic oven control Food probe Full extension telescopic Internal light Large broil pan	• • • • •
Electronic oven control Food probe Full extension telescopic Internal light Large broil pan Self-clean proof side racks True convection	•
Concealed element Electronic oven control Food probe Full extension telescopic Internal light Large broil pan Self-clean proof side racks	•

Bake

Classic bake	•
Clean	•
Convection Broil	•
Convection bake	•
Dehydrate	•
Maxi Broil	•
Number of functions	15
Pastry bake	•
Pizza bake	•
Rapid proof	•
Roast	•
Slow cook	•
True convection	•
Warm	•

Power requirements

Amperage	50A
Supply frequency	60Hz
Supply voltage	120-240V

Product dimensions

Depth	29 1/8"
Height	35 3/4 - 36 3/4"
Width	47 7/8"

Rangetop features Sealed range top Vent trim included

Recommended Back Guards Ventilation

FISHER & PAYKEL

Combustible situation	BGRV3-3048H	
Non combustible situation	BGRV2-3048 / BGRV2-1248	
Recommended hood	HCB48-12_N (48" Professiona	
Safety		
ADA compliant		
Secondary oven features		
3/4 Extension racks	2	
Concealed element	•	
Electronic oven control	•	
Food probe	•	
Internal light	•	
Air fry		
Air fry	•	
Bake	•	
Classic bake	•	
Convection bake	•	
Convection broil	•	
Maxi broil	•	
Number of secondary oven	11	
Pastry bake	•	
Pizza bake	•	
Rapid proof	•	
Roast	•	
Warm	•	

Warranty

•

.

Parts and labor

Limited 2 years

Date: 07.04.2022 > 2

SKU	82385

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020 Other product downloads available at fisherpaykel.com

- ✓ User Guide
- Service & Warranty
- Guide d'utilisation
- ✓ User Guide
- ✓ Installation Guide



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com