QUICK REFERENCE GUIDE > RS3084WRUE1

30" Series 11 Integrated Column Freezer, Ice & Water

Series 11 | Integrated

Panel Ready | Right Hinge

Experience the pinnacle of refrigeration design with our most advanced model. Featuring a right hinge and an elegant interior, this Column embodies premium functionality and style. Designed to optimise energy efficiency, it seamlessly integrates alone or paired with another Column.

- With a premium interior for a refined look and feel, this model is the highlight of our Integrated Columns collection
- Designed to optimise energy performance and efficiency
- Flexible storage with two Variable Temperature Zones: choose Pantry, Fridge, Soft Freeze or Freezer mode
- Mix and match columns, install separately or pair, and customize with cabinetry or stainless steel panels

DIMENSIONS

Height	84 "
Width	29 3/4 "
Depth	24 "

FEATURES & BENEFITS

Premium interior

Our Series 11 Columns are designed with a premium interior that balances form and function. Every element, from the seamless finish to the considered interior lighting, creates a sleek, understated aesthetic that integrates effortlessly into any kitchen.

Clever energy

With highly efficient vacuum insulation reducing heat transfer, this fridge uses only the energy it needs while keeping your food fresher for longer.

Variable Temperature Zones

There's more than one way to freeze food, and different temperatures and techniques can affect food care and convenience. Optimal freezing depends on what you're storing, how fresh it is, and when you plan to use it. Switch a compartment to Soft Freeze for everyday convenience, or choose Freeze or Deep Freeze Mode to preserve freshness and lock in natural goodness for longer.

Mix & Match

Integrated Column Refrigeration offers the flexibility to mix and match. Choose from different-sized Column Fridges and Freezers that can be installed individually or paired together. Complete the look with your own customized door panels to blend seamlessly with your kitchen cabinetry, or purchase our stainless steel door panels.

Perfect Fit

These models fit flush and have only 1/8" gaps around them with no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry for an understated and clean look with any kitchen layout.

Deep Freeze Mode

Deep freezing (-13°F) halts bacterial activity, allowing food to be stored safely for extended periods. Freezing food quickly helps to protect quality and retain nutrients, ensuring they are preserved when defrosted.

Easy install

Integrated Column Refrigerators and Freezers have been developed to make installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front-adjustable leveling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (sold separately)

RD3084WLI	Door panel stainless steel Left hinge 84"	
RD3084WRI	Door panel stainless steel Right hinge 84"	
AHCLRD3084V	Handle kit Classic	
AHSRD3084V	Handle kit Contemporary round, aluminium	
AHD5RD3084V	Handle kit Contemporary square fine, aluminium	
AHD5RD3084W	Handle kit Contemporary square fine, black	
AHP3RD3084V	Handle kit Professional round flush	
AHP3RD3084W	Handle kit Professional round flush, Brass off-stands	
AHP3RD3084WI	Handle kit Professional round flush, Dark Copper off-stands	
AJ-RS84L	Joiner Kit	
AKRS300	Toe kick stainless steel 30"	
AKRS480	Toe kick stainless steel 48"	
AKRS540	Toe kick stainless steel 54"	
AKRS600	Toe kick stainless steel 60"	
AKRS660	Toe kick stainless steel 66"	
AKRS720	Toe kick stainless steel 72"	
AKRS780	Toe kick stainless steel 78"	
AKRS840	Toe kick stainless steel 84"	

Capacity

QUICK REFERENCE GUIDE > RS3084WRUE1 Date: 07.02.2025 > 2

Total gross capacity	15.87 cu ft	LED side lighting	•
Volume	15.9 cu ft	Max Cold	•
Volume freezer	5.4 cu ft	SmartTouch interface at counter height	•
Volume refrigerator	10.5 cu ft		
		Performance	
Features		ActiveSmart™ Foodcare	•
Adjustable door shelves	4	Adaptive defrost	•
Adjustable glass cantilevered shelves	•	Dual evaporator	•
Covered door shelves	1	Frost Free Freezer	•
Door alarm	•	Humidity control system	•
Fruit and vegetable bins	2	Inverter controlled compressor	•
Gallon door shelves	1	Sabbath mode	•
Internal water dispenser	•	Variable food modes	Pantry; Fridge;
LED bin lighting	•		Soft freeze; Freezer
LED ceiling lighting	•	Variable temperature zones	2
LED lighting	•		
LED side lighting	•		
SmartTouch interface at counter height	•	Power Requirements	
Stackable bottle holders	4	Rated current	10 A
		Supply frequency	60 Hz
Freezer Features		Supply voltage	115 V
Automatic ice maker	•		
Door alarm	•	Product Dimensions	
Fast freeze	•	Depth	24 "
Freezer bins	2	Height	84 "
Freezer trays	1	Width	29 3/4 "
Ice Boost	•		
LED bin lighting	•		
LED ceiling lighting	•	Product information	

Packaged weight	406 lbs
Unpackaged weight	304 lbs

Warranty

Parts and labor	2 years
Sealed system parts only	5 years

SKU	26911
-----	-------

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

2D-DWG Integrated Refrigeration - K05 Hinge
2D-DWG Integrated Refrigeration
2D-DXF Integrated Refrigeration - K05 Hinge
2D-DXF Panel Preparation
2D-DXF Integrated Refrigeration

Planning Guide EN

Planning Guide Integrated Refrigeration FR

Rhino 6 Refrigerator Freezer

SketchUp Refrigerator Freezer

QUICK REFERENCE GUIDE > RS3084WRUE1 Date: 07.02.2025 > 3

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 1.888.936.7872 Wwww.fisherpaykel.com