# FRIGIDAIRE

#### 1.9 Cu. Ft. Over-the Range Microwave with Convection

Over-The-Range Microwave

Available Products: GMOS196CAF

Available Colors: Stainless Steel

Version: 09/23

## **Product Specifications**

Cooking Controls		Oven	
Clock	Yes	Convection	Yes
Convection	Yes	Convection Element	1350 Watts
Cooking Power	900 Watts	Convection Type	Fan
Defrost Time	Yes	Convection Type	i un
Defrost Weight	Yes	Ventilation System	
Number of Power Levels	9	Ductless Vent	Yes
	5	Ducted Vent	Yes
Microwaya Cooking		Exhaust Fan Speeds	3
Microwave Cooking	37		
Beverage Melt / Soften	Yes Yes	Minimum Air Flow Capacity Maximum Air Flow Capacity	105 CFM 400 CFM
	Yes	Charcoal Filter Included	Yes
Popcorn			
Potato	Yes	Grease Filter Included	Yes 2
Reheat	Yes	Grease Filter Quantity	
Sensor Cooking	Yes	Grease Filter Dishwasher Safe	Yes
Veggies	Yes	Removable Grease Filter	Yes
Convection Cooking		<b>Microwave Control Features</b>	
	Yes	+ 10 Seconds	Yes
Keep Warm	165	+ 30 Seconds	Yes
		Quick Start	Yes - One Touch
Additional Settings			ies - Olie Ioucli
Child Lock	Yes	Diala	
Clock Display On / Off	Yes	Display	_
Clock Settings	Yes	Control Location	Bottom
Demo On / Off	Yes	Display Interface Color	White
Setting Turntable On / Off	Yes	Display Type	LED
Setting Weight Lb / Kg	Yes		
Surface Cooking Light	Yes	Internal Specifications	
Timer On / Off	Yes	Interior Color	Stainless Steel
Vent Fan	Yes	Interior Light Quantity	1
		Interior Light Type	LED
Exterior		Interior Light Wattage	1.2 Watts
Door Swing	Side-Swing Door	Rack	Yes
Zero Clearance Door Opening	Yes	Turntable Diameter	14 3/16"
		Turntable Material	Glass
Surface Light System			
Lighting Type	LED		
Electrical Specifications			
Amps @ 120 Volts	15 Amps		
Connected Load @ 120V	1.5 kW		
Safety Certifications and Approvals			
cUL Listed	Yes		
	105		

For planning purposes only. We reserve the right to change specifications or discontinue models without notice. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com / frigidaire.ca Electrolux Major Appliances, N.A.

USA • 10200 David Taylor Drive •Charlotte, NC 28262 • Charlotte, NC 28262 • 1-877-4electrolux (1-877-435-3287) • frigidaire.com CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca



1.9 Cu. Ft. Over-the Range Microwave with Conve	ction
---	-------

Available Products: GMOS196CAF

Over-The-Range Microwave

Available Colors: Stainless Steel

Version: 09/23

#### **Dimensions and Volume**

Height	17 1/8"	
Width	30"	
Depth	16 5/16"	
Depth With Door 90° Open	44 15/16"	
Microwave Interior Height	10 3/4"	
Microwave Interior Width	21 5/16"	
Microwave Interior Depth	14 3/4"	
Microwave Capacity	1.9 Cu. Ft.	
Included Accessories		
Convection Round Rack	Yes	
Metal Rack	Yes	
General Specifications		
Warranty - Labor	1 Year	
Warranty - Parts	1 Year	

For planning purposes only. We reserve the right to change specifications or discontinue models without notice. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com / frigidaire.ca Electrolux Major Appliances, N.A. USA • 10200 David Taylor Drive •Charlotte, NC 28262 • Charlotte, NC 28262 • 1-877-4electrolux (1-877-435-3287) • frigidaire.com CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca

#### 1.9 Cu. Ft. Over-the Range Microwave with Convection


Over-The-Range Microwave

Available Products: GMOS196CAF

Version: 09/23

## Available Colors: Stainless Steel

## **Installation Diagram**



- The space between the cabinets must be 30" (76.2 cm) wide and free of obstructions.
- If you are going to vent your microwave oven to the outside, see Hood Exhaust Section for exhaust duct preparation
- When installing the microwave oven beneath smooth, flat cabinets, be careful to follow the instructions on the top cabinet template for power cord clearance.
- As a guide to installation, see page 25 for Mounting Template Information.
- If the cabinet depth, including the cabinet doors, is more than 13", then the unit must be spaced out from wall using adequate materials supporting 150 lbs to allow proper top vent air exhaust/ intake.

USA • 10200 David Taylor Drive •Charlotte, NC 28262 • Charlotte, NC 28262 • 1-877-4electrolux (1-877-435-3287) • frigidaire.com CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca