

USER'S OPERATION MANUAL

Before operating this unit, please read this manual thoroughly, and retain for future reference

Model: FV14D6AWD

English

For questions about features, operation/performance, parts or service, call:

1-855-344-7367

Contents

Brief introduction	.2
Important safety instructions	.3
Installing your new appliance	5
Description of the appliance	8
Display controls	9

Using your appliance	11
Cleaning and care	.11
Helpful hints and tips	12
Troubleshooting	14
Disposal of the appliance	15

Brief Introduction

Thank you for choosing Hisense. We are sure you will find your new refrigerator a pleasure to use. Before you use the appliance, we recommend that you read through these instructions carefully, which provides details about its usage and functions.

- •Please ensure that everyone using this appliance is familiar with its operations and safety features. It is important that you install the appliance correctly and pay careful attention to the safety instructions.
- •We recommend that you keep this user's manual with the appliance for future reference.
- •This appliance is intended to be used in households and similar applications such as:
- -Staff kitchen-areas in shops, offices and other working environments;
- -Clients in hotels, motels and other residential types of environment;
- -Bed and breakfast type of environments;
- -Catering and similar non-retail applications.
- •This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have supervision or been given instruction concerning use of the appliance. Children should be supervised to ensure that they do not play with the appliance.
- Do not store explosive substances such as aerosol cans with a flammable

propellant in this appliance.

WARNING — Connect to potable water supply only.

WARNING — Do not use mechanical devices or other means to accelerate the defrosting process, other than those recommended by the manufacturer.

WARNING — Do not damage the refrigerant circuit.

WARNING — Do not use electrical appliances inside the food storage compartments of the appliance, unless they are of the type recommended by the manufacturer.

WARNING — When disposing of the appliance do so only at an authorized waste disposal centre. Do not expose to flame.

WARNING—The instructions include the following wording regarding the use of extension cords or ungrounded (two prong) adapters: Do not use an extension cord or ungrounded (two prong) adapters.

WARNING—If the supply cord is damaged,

it must be replaced by the manufacturer, its service agent or similarly qualified persons in order to avoid a hazard.

Important Safety Instructions

General safety and daily use



It is important to use your safely. We appliance recommend that you follow the

quidelines below.

Store any food in accordance with the storage instructions from the manufacturer.

- •Don't try to repair the appliance yourself. It is dangerous to alter the specifications or modify this product in any way. Any damage to the power cord may cause a short circuit, fire or electric shock.
- Don't place too much food directly against the air outlet on the rear wall of the refrigerator and freezer compartment, as it affects sufficient air circulation.
- •Don't place hot items near the plastic components of this appliance.
- •Frozen food must not be refrozen once it has been thawed out.
- Don't store bottled or canned drinks (especially carbonated drinks) in the freezer compartment. Bottles and cans may explode.
- •Use caution consuming popsicles or ice cubes straight from the freezer as this can cause freezer burn to the mouth and lips.

Safety for children and infirm persons

- •Keep all packaging away from children to avoid risk of suffocation.
- Protect children from being scalded by touching the compressor at the rear bottom of appliance
- •Don't place items on top of the appliance as this could cause injury should they fall off.
- •Never allow children to play with the appliance by hanging or standing over or on the doors, racks, shelves and drawers etc.

Electrical Safety



To avoid the risks that are always present when using an electric appliance, recommend that you pay attention to the instructions about electricity below.

- Unpack and check through the appliance. Should any damage be evident, don't plug in the appliance but contact the shop immediately from which you purchased it. Keep all packing materials in this case.
- •We recommend that you wait for 4 hours before connecting the appliance to allow the refrigerant to flow back into the compressor.
- •The appliance must be applied with single phase alternating current of 115V/60Hz. If the voltage fluctuates exceeding the upper limit, A.C. automatic voltage regulator of more than 350W should be applied to the refrigerator for safety use.
- The power plug must be accessible when the appliance is installed.
- •This appliance must be grounded.
- ●This appliance is fitted with a plug, in accordance with local standard. The plug should be suitable for use in all houses fitted with sockets in accordance with current specifications.
- If the fitted plug is not suitable for your socket outlets, it should be cut off and carefully disposed of. To avoid a possible shock hazard, do not insert the discarded plug into a socket. If in doubt contact a qualified, registered electrician.
- •Do not use extension cords, ungrounded (two prong) adapters or multiple sockets which could cause overloading of wiring circuits and could cause a fire.

Always plug your appliance into its own individual electrical socket which has a voltage rating that matched the rating plate.

- •Make sure that the plug is not squashed or damaged. Otherwise, it may cause short circuit, electric shock or overheat and even cause a fire.
- •Do not insert the power plug if the socket is loose, there is a risk of electric shock or fire.
- •Switch off the appliance and disconnect it from the main power before you clean or move it.
- •Never unplug the appliance by pulling on the electrical cord. Always grip the plug firmly and pull straight out from the socket to prevent damaging the power cord.
- •Do not operate the appliance without the cover of interior lighting.
- •Any electrical component must be replaced or repaired by a qualified electrician or authorized service engineer. Only genuine replacement parts should be used.
- •Do not use electrical appliances such as ice cream makers inside the food storage compartments of the appliance unless they are approved by the manufacturer.
- •To avoid eye injury, do not look direct into the LED light located in the refrigerator compartment. If it is not functioning correctly, consult a qualified, registered electrician or replace it in accordance with the "cleaning and care" chapter.

Refrigerant

The refrigerant isobutene (R600a) is contained within the refrigerant circuit of the appliance. During transportation and installation of the appliance, ensure that none of the components of the refrigerant circuit becomes damaged.

The refrigerant (R600a) is flammable.



Caution: Risk of Fire

•Don't store products which contain flammable propellants (e.g. spray cans) or

explosive substances in the appliances.

Should the refrigerant circuit be damaged:

- Avoid open flames (candles, lamps etc.) and sources of ignition.
- •Thoroughly ventilate the room in which the appliance is situated.


Installing Your New Appliance

Before using the appliance for the first time, you should be informed of the following tips.

Warning!

For proper installation, this refrigerator must be placed on a level surface of hard material that is the same height as the rest of the flooring. This surface should be strong enough to support a fully loaded refrigerator.

The rollers, which are not castors, should be only used for forward or backward movement. Moving the refrigerator sideways may damage your floor and the rollers.




Ventilation of appliance




In order to improve efficiency of the cooling system and save energy, it is necessary to

maintain good ventilation around the appliance for the dissipation of heat. For this reason, sufficient clear space should be available around the refrigerator.

Suggestion: It is advisable for there to be at least 50-70mm of clearance from the back of the fridge to the wall, at least 100mm of clearance from its top, at least 100mm from its side to the wall and a clear space in front to allow the doors to open 135°. As shown in following diagrams.






Note:

- ullet This appliance performs well with ambient temperature between 12.8 $^{\circ}$ C to 43.3 $^{\circ}$ C. The appliance may not work properly if left at a temperature above or below the indicated range.
- •Stand your appliance in a dry place to avoid high moisture.
- Keep the appliance out of direct sunlight, rain or frost. Stand the appliance away from heat sources such as stoves, fires or heaters.


Leveling of appliance

•For sufficient leveling and air circulating in the lower rear section of the appliance, the bottom feet may need to be adjusted. You can adjust them manually by hand or by using a suitable tool.


Tools you will need:



•To allow the doors to self-close, tilt the top backwards by about 10mm.




 You can adjust them manually by hand or using a suitable spanner.




Note:

 If required you may lay the refrigerator on its back in order to gain access to the base, you should rest it on soft foam packaging or similar material to avoid damaging the backboard of the refrigerator.


- There is no need to install these accessories under normal usage.
 Only under the extreme circumstances, that is opening the door about 90 degree, this refrigerator may take risk of tipping.
 Then rubber supporting pad should be fastened to the lower base cover to steady this appliance.
- 1. Tilt appliance to find screw hole on the left of lower base cover.





2. Put screw into the hole of rubber supporting pad.



3. Make screw in alignment with the hole on lower base cover. Fasten rubber supporting pad to the base cover firmly by a cross screwdriver (self-provided).








Installing the handles

Before you use the appliance, you have to install the handles provided in the fridge chamber.

Please follow procedures below to install and reverse the handle.


- Fasten the handle supports (C) to the door by a cross screwdriver (self-provided).
- Place the handle (A) on the door by fitting the handle footprints over the handle supports (C), then fasten the screws (B) with Allen wrench (provided in plastic).



Description of the Appliance

View of the appliance

- 1. Display panel
- 2. Upper air duct
- 3. Shelf part (Upper)
- 4. Shelf part (Lower)
- 5. Lower air duct
- 6. Drawer
- 7. Adjustable bottom feet
- 8. Door switch
- 9. Door
- 10. Freezer shelf (big)
- 11. Handle
- 12. Door lock
- 13. Freezer shelf (small)
- 14. Door gasket



Note!

- •Due to unceasing modification of our products, your refrigerator may be slightly different from this instruction manual, but its functions and using methods remain the same.
- •To get the best energy efficiency of this product, please place all shelves, drawers and baskets on their original position as the illustration above.

Display Controls

Use your appliance according to the following control regulations, your appliance has the corresponding functions as the control panels showed in the pictures below.



Controlling the temperature

We recommend that when you start your refrigerator for the first time, the temperature for the refrigerator is set to $0^{\circ}\mathrm{F}$ (-18°C). If you want to change the temperature, follow the instructions below.

Caution!

When you set a temperature, you set an average temperature for the whole refrigerator cabinet. Temperatures inside each compartment may vary from the temperatures displayed on the panel, depending on how much food you store and where you place it. High or low room temperature may also affect the actual temperature inside the appliance.

1. °F /°C

To toggle between Celsius and Fahrenheit on the display, press and hold the "TEMP." button for three seconds.

2. TEMP.

Presses the "TEMP." button select temperature setting.

If you have set the temperature type to Fahrenheit, the temperature settings cycle from 7°F to -11°F in one degree decrements.

If you have set the temperature type to Celsius, the temperature settings cycle from -14°C to -24°C in one degree decrements.

3. Fast Freeze

Fast Freeze will quickly lower the

temperature within the freezer so food will freeze faster than usual. This feature also helps to keep vitamins and nutrition of fresh food fresh for longer period.

- Press the "MODE" button to activate this function. The "Fast Freeze" icon will be illuminated and the temperature for the freezer is set to -11 °F (-24°C).
- Fast Freeze will automatically turn off after 52 hours.
- When Fast Freeze function is on you can turn it off by pressing the "MODE" or setting freezer temperature.
 To manually turn off the Fast Freeze function, the freezer temperature setting will revert back to the previous setting.

NOTE: When you selecting the Fast Freeze function, ensure there are no bottled or canned drinks (especially carbonated drinks) in the freezer compartment. Bottles and cans may explode.

4. Energy Saving

Press the "MODE" button to turn on the Energy saving function. The "Energy Saving" icon will be illuminated.

- When the Energy Saving function is on, the temperature is automatically switched to 1°F (-17°C).
- When Energy saving function is on you can switch it off by pressing the "MODE" or "TEMP." button and the refrigerator temperature setting will revert back to the previous setting.

5. POWER

Press and hold the "POWER" button for three seconds to turn the power function on or off.

- When the power function is on, the
 icon lights and the display panel will show "OF". If no buttons have been pressed, the display board will turn off about 1 minute later.
- IF you want to turn off the power function, make sure the display board is lighting up. IF not, you can press any button to light up the display board.
 NOTE:

When the power function is on, the refrigerator stops cooling.

6. Alarm Mute

When the door is open over 2 minutes, the display panel will show "dr" and the "Alarm" icon will light and flicker, the warning sound beeps 3 times per minute. The door alarm will stop about 8 minutes later.

• In case of door alarm, it can be turned off by closing the door.

- In case of door alarm, you can press and hold the "MODE" button for three seconds to clear the door alarm sound, and then the control panel will show "dr" and the "Alarm" icon will light.
- To save energy, do not keep the door open for a long time when using the refrigerator.
- 7. Demo mode

Demo mode is for store display, and it prevents the refrigerator from generating cool air. In this of Cooling off Mode, the refrigerator may seem like it is working but it will not make cool air. The display panel will show special segments as follow.




To switch off demo mode, press and hold "POWER" and "MODE" buttons at same time for three seconds and the buzzer gave a long sound.

Using your Appliance

This section tells you how to use most of the useful features. We recommend that you read through them carefully before


Door rack

- Do not place too many heavy things in the racks.
- All the door racks are completely removable for cleaning.



Shelf

• Shelfs can be taken out to be cleaned.



• To avoid hurting your hands, don't hold the shelf with a wet hand.

Using the freezer compartment

using the appliance.

- For freezing fresh food and storing frozen and deep-frozen food for long periods of time.
- The freezer compartment is provided with drawers.
- Do not store food too close to the air outlet on the air duct.
- To help prevent child entrapment, keep the key out of reach of children and away from cabinet.

Caution!

- When the refrigerator reaches the set temperature, it will take a enough effort to open the door, and open door again after closing, please wait for 15 seconds later.
- When you close the refrigerator door, you will hear a slight inhalation sound,
- accompanied by the flattening of the refrigerator door gasket, because this large refrigerator has enough powerful cooling power.

Cleaning and Care

For hygienic reasons the appliance (including exterior and interior accessories) should be cleaned at least every two months.

Warning!

To avoid electrical shock, the appliance must not be connected to the main power supply during cleaning. Before cleaning, switch the appliance off and remove the plug from the main socket.

Exterior cleaning

To maintain good appearance of your

appliance, you should clean it regularly.

- Spray water onto a cleaning cloth instead of spraying directly on the surface of the appliance. This helps ensure an even distribution of moisture to the surface.
- •Clean the doors, handles and cabinet surfaces with a mild detergent and then wipe dry with a soft cloth.

Caution!

- •Don't use sharp objects to clean with, as they are likely to scratch the surface.
- •Don't use Thinner, Car detergent, bleach,

ethereal oil, abrasive cleansers or organic solvent such as Benzene for cleaning. They may damage the surface of the appliance and may cause fire.

Interior cleaning

You should clean the appliance interior regularly. It will be easier to clean when food stocks are low. Wipe the inside of the fridge freezer with a weak solution of backing soda and water, and then rinse with warm water using a wrung-out sponge or cloth. Wipe completely dry before replacing the shelves and baskets. Thoroughly dry all surfaces and removable parts before putting them back into place. Although this appliance automatically defrosts, a layer of frost may occur on the freezer compartment's interior walls if the freezer door is opened frequently or kept open too long. If the frost is too thick, choose a time when the freezer is nearly empty and proceed as follows:

- 1. Remove existing food and accessories baskets, unplug the appliance from the main power and leave the doors open. Ventilate the room thoroughly to accelerate the process.
- 2. When defrosting is completed, clean your freezer as described above.

Warning!

Do not use sharp objects to remove frost from the freezer compartment. Only after the interior is completely dry should the appliance be switched back on and plugged back into the main socket.

Door seals cleaning

Take care to keep door seals clean. Sticky food and drinks can cause seals to stick to the cabinet and tear when you open the door. Wash seal with a mild detergent and warm water. Rinse and dry it thoroughly after cleaning.

Caution! Only after the door seals are completely dry should the appliance be powered on

Replacing the LED light

Warning: The LED light must be replaced by a competent person. If the LED light is damaged, follow the steps below:

- 1. Unplug your appliance.
- 2. Remove light cover by rising up and pulling out the LED light.
- 3. Hold the LED light with one hand and pull it with the other hand while pressing the connector latch.
- 4. Replace LED light and snap it correctly in place and recover the light cover.

Helpful Hints and Tips

Energy Saving Tips

We recommend that you follow the tips below to save energy.

- •Try to avoid keeping the door open for long periods in order to conserve energy. Ensure the appliance is away from any sources of heat (direct sunlight, electric oven or cooker etc.)
- •Don't set the temperature colder than necessary.

- •Don't store warm food or evaporating liquid in the appliance.
- •Place the appliance in a well ventilated, humidity free, room. Please refer to "Installing your New Appliance" chapter.
- •If the diagram shows the correct combination for the drawers, crisper and shelves, do not adjust the combination as this is designed to be the most energy efficient configuration.

Hints for fresh food refrigeration

- •Do not place hot food directly into the refrigerator or freezer, the internal temperature will increase resulting in the compressor having to work harder and will consume more energy.
- •Do cover or wrap the food, particularly if it has a strong flavor.
- •Place food properly so that air can circulate freely around it.

Hints for freezing

- •When first starting-up or after a period out of use, let the appliance run at least 2 hours on the higher settings before putting food in the compartment.
- •Prepare food in small portions to enable it to be rapidly and completely frozen and to make it possible to subsequently thaw only the quantity required.
- •Wrap up the food in aluminum foil or cling wraps which are airtight.
- •Do not allow fresh, unfrozen food to touch the food which is already frozen to avoid temperature rise of the latter.
- •Iced products, (ice cubes, popsicles): if consumed immediately after removal from the freezer compartment, will probably cause frost burns to the skin.
- •It is recommended to label and date each frozen package in order to keep track of the storage time.

Hints for the storage of frozen food

- •Ensure that frozen food has been stored correctly by the food retailer
- •Once defrosted, food will deteriorate rapidly and should not be re-frozen. Do not exceed the storage period indicated by the food manufacturer.

Switching off your appliance

If the appliance needs to be switched off for an extended period, the following steps should be taken prevent mold on the appliance.

- 1. Remove all food.
- 2. Remove the power plug from the main socket.
- 3. Clean and dry the interior thoroughly.
- 4. Ensure that all the doors are wedged open slightly to allow air to circulate.

Troubleshooting

If you experience a problem with your appliance or are concerned that the appliance is not functioning correctly, you can carry out some easy checks before calling for service, please see below.

Warning! Don't try to repair the appliance yourself. If the problem persists after you have made the checks mentioned below, contact a qualified electrician, authorized service engineer or the shop where you purchased the product.

Warning! A child entrapment warning statement is included in either the operating instructions or in a use and care manual provided with each refrigerator.

DANGER: Risk of child entrapment. Before you throw away your old refrigerator or freezer:

- Take off the doors.
- Leave the shelves in place so that children may not easily climb inside.

	place so that children may not easily climb inside.
Problem	Possible Cause & Solution
Appliance is not working correctly	Check whether the power cord is plugged into the power outlet properly.
	Check the fuse or circuit of your power supply, replace if necessary.
	The ambient temperature is too low. Try setting the chamber temperature to a colder level to solve this problem.
	It is normal that the freezer is not operating during the defrost cycle, or for a short time after the appliance is switched on to protect the compressor.
Odours from the	The interior may need to be cleaned
compartments	Some food, containers or wrapping cause odours.
Noise from the appliance	The sounds below are quite normal: • Compressor running noises. • Air movement noise from the small fan motor in the freezer compartment or other compartments. • Gurgling sound similar to water boiling. • Popping noise during automatic defrosting. • Clicking noise before the compressor starts. • Clicking noise when you get the water. • The motor running noises when you get ice. Other unusual noises are due to the reasons below and may
	need you to check and take action: The cabinet is not level. The back of appliance is touching the wall. Bottles or containers have fallen or are rolling.
The motor runs	It is normal to frequently hear the sound of the motor, it will
continuously	need to run more when in following circumstances:

	 Temperature setting is set colder than necessary Large quantity of warm food has recently been stored within the appliance. The temperature outside the appliance is high. Doors are kept open too long or too often. After installing the appliance or it has been switched off for a long time.
A layer of frost occurs in the compartment	Check that the air outlets are not blocked by food and ensure food is placed within the appliance to allow sufficient ventilation. Ensure that door is fully closed. To remove the frost, please refer to the "Cleaning and Care" chapter.
Temperature inside is too warm	You may have left the doors open too long or too frequently; or the doors are kept open by some obstacle; or the appliance is located with insufficient clearance at the sides, back and top
Temperature inside is too cold	Increase the temperature by following the "Display Controls" chapter.
Doors can't be closed easily	Check whether the top of the refrigerator is tilted back by about 10mm to allow the doors to self-close, or if something inside is preventing the doors from closing.
The light is not working	 The LED light may be damaged. Refer to replace LED lights in Cleaning and Care chapter. The control system has disabled the lights due to the door being kept open too long. Close and reopen the door to reactivate the lights.
Freezer door is so hard to open	Warm air inside the freezer compartment is rapidly cooled. Since cold air takes up less space than warm air, negative pressure results. Typically, within a few minutes the pressures of the door will equalize and the door can be opened with little effort.

Disposal of the Appliance

It is prohibited to dispose of this appliance as household waste.

Packaging materials

Packaging materials with the recycle symbol are recyclable. Dispose of the packaging into a suitable waste collection container to recycle it.

Before disposal of the appliance

- 1. Pull out the main plug from the main socket.
- 2. Cut off the power cord and discard with the main plug

Warning! Refrigerators contain refrigerant and gases in the insulation. Refrigerant and gases must be disposed of professionally as they may cause eye injuries or ignition. Ensure that tubing of the refrigerant circuit is not damaged prior to proper disposal.

Correct Disposal of this product



This symbol on the product or in its packing indicates that this product may not be treated as household waste. Instead, it should be taken to the appropriate waste collection point for the recycling of electrical and electronic equipment. By ensuring this product is disposed of correctly, you will help prevent potential negative consequences for the environment and human health, which could otherwise be caused by the inappropriate waste handling of this product. For more detailed information about the recycling of this product, please contact your local council, your household waste disposal service, or the shop where you purchased the product.