

KMR 1356-3LP GD EDST/CLST RangeTop

with ?? burners and griddle for versatility and performance



- Professional design – 48 (1219) in (mm) wide in stainless steel with Clean Touch Steel™ finishing
- Direct control – metal knobs with light ring
- Easy cleaning – ComfortClean dishwasher-safe grates
- Broad performance spectrum – burner w. up to 19,500 BTU (5.7 kW)
- Convenient and safe – automatic re-ignition for all burners

EAN: 4002516495468 / Material number: 11852660 / Old Material Number: 26135671USA

| | |
|--|-------------------------|
| Heating type | |
| Fuel type | Gas |
| Design | |
| Rangetop | • |
| Design | |
| Casing | Stainless steel |
| Front panel | CleanSteel |
| Genuine metal knobs | • |
| Cast iron pot rests (matte black enameled) | • |
| Cooking zone details | |
| Number of gas burners | 6 |
| Number of griddle surfaces | 1 |
| 1st cooking zone/cooking area | |
| Position | front left |
| Type | Ultra high-speed burner |
| Minimum power output in BTU/hr | 1500 |
| Maximum power output in BTU/hr | 19500 |
| Max. rating in W | 5700 |
| 2nd cooking zone/cooking area | |
| Position | rear left |
| Type | High-speed burner |
| Minimum power output in BTU/hr | 1500 |
| Maximum power output in BTU/hr | 12500 |
| Max. rating in W | 2900 |
| 3rd cooking zone/cooking area | |
| Position | left center |
| Type | Griddle surface |
| Maximum power output in BTU/hr | 14300 |
| Max. rating in W | 4200 |
| 4th cooking zone/cooking area | |
| Position | Rear center right |
| Type | Ultra high-speed burner |
| Minimum power output in BTU/hr | 1500 |
| Maximum power output in BTU/hr | 19500 |
| Max. rating in W | 3800 |
| 5th cooking zone/cooking area | |
| Position | rear right |
| Type | High-speed burner |
| Minimum power output in BTU/hr | 1500 |
| Maximum power output in BTU/hr | 12500 |
| Max. rating in W | 2900 |
| 6th cooking zone/cooking area | |
| Position | front right |
| Type | Ultra high-speed burner |
| Minimum power output in BTU/hr | 1500 |
| Maximum power output in BTU/hr | 19500 |
| Max. rating in W | 5700 |
| 7th cooking zone/cooking area | |
| Position | Center right front |
| Type | Ultra high-speed burner |

KMR 1356-3LP GD EDST/CLST

RangeTop

with ?? burners and griddle for versatility and performance




EAN: 4002516495468 / Material number: 11852660 / Old Material Number: 26135671USA

| | |
|---|--------------|
| Minimum power output in BTU/hr | 1500 |
| Maximum power output in BTU/hr | 19500 |
| Max. rating in W | 5700 |
| 8th cooking zone/cooking area | |
| True Simmer function | • |
| Width of griddle surface in in.(mm) | 10 1/4 (258) |
| Depth of griddle surface in in.(mm) | 17 1/8 (434) |
| User convenience | |
| Operation via genuine metal knobs with backlit | • |
| Cleaning convenience | |
| Dishwasher-safe trivets | • |
| Single-piece cooktop surround | • |
| Safety | |
| Automatic re-ignition | • |
| Technical data | |
| Dimensions (width) in in. (mm) | 48 (1219) |
| Dimensions (height) in in. (mm) | 7 5/8 (191) |
| Dimensions (depth) in in. (mm) with bullnose | 27 1/4 (692) |
| Dimensions (depth) in in. (mm) without bullnose | 25 5/8 (650) |
| Weight in lbs. (kg) | 171 (78) |
| Total output in BTU/hr | 117300 |
| Total connected load in kW | 34.40 |
| Voltage in V | 120 |
| Fuse rating in A | 10 |
| Number of phases | 1 |
| Power cord length in in. (m) | 3 (1.2) |

KMR 1356-3LP GD EDST/CLST

RangeTop

with ?? burners and griddle for versatility and performance



KMR1354 G/LP, KMR1355 G/LP, KMR1356 G/LP,
KMR1354-3, KMR1355-3, KMR1356-3 (installation
drawings)

1) Side view, 2) Front view, 3) Rear view, 4) Gas
connection, 5) Electrical connection,