

SIRIUS RANGE HOODS

Timeless Excellence, Ageless Elegance

Sirius Range Hoods are exclusively designed and manufactured in the town of Sassoferato, nestled in the mountains of the stunning province of Marche, Italy. Founded in 1996 Sirius spa has rapidly grown to be an industry leader in the residential ventilation market. They are renowned for their passionate attention to designing and crafting unique range hoods that embrace functionality and unsurpassed quality.

The Sirius Collection offers to you a wide range of stunning designs that will compliment every aesthetic and practical requirement for domestic ventilation. We offer you the world renowned Italian design flair in every one of our products, and in addition, are pleased to launch our new 2007 Professional Series to North America in this catalogue. The Sirius 2007 Collection is also guaranteed to deliver world class technology, superior ventilation, industry beating low noise levels and reliability envied by all of our competitors.

INDEX

PROFESSIONAL SERIES

ISLAND SERIES

WALL SERIES

BUILT-IN SERIES

ACCESSORIES

PROFESSIONAL SERIES

ISLAND SERIES

WALL SERIES

BUILT-IN SERIES

ACCESSORIES




PROFESSIONAL SERIES

Superior ventilation solutions from Sirius feature the worlds most advanced technology, offering an inspired choice for people who pursue exclusive elegance and high-performance functionality in their kitchens. Featuring commercial style restaurant baffle filters, the Professional Series from Sirius boasts superior performance, innovative design and unparalleled quality.

06


SU001 SU901

PROFESSIONAL SERIES




SU 901

- Dual Motor (1200 CFM) - EBM
- Pressure: 800 Pa
- Noise level: 66 dBA/5.1 sones
- Lighting: 2 x 20 W dichroic
- Control panel: 4 speed push-button + delay off timer + light switch
- Grease filter: commercial style baffle filters
- Liners available in 36", 42", 48".




SU54 SU54

PROFESSIONAL SERIES



SU 54

- Dual Motor (1200 CFM) - EBM
- Pressure: 800 Pa
- Noise level: 66 dBA/5.1 sones
- Lighting: 2 x 20 W halogen lamps in 36" version,
; 4 x 20 W halogen lamps in 48" version
- Control panel: 4 speed push-button + delay off timer + light switch
- Grease filter: commercial style baffle filters



A close-up photograph of a sunflower head, focusing on the intricate pattern of the central disk florets. The florets are arranged in a radial pattern, transitioning from green at the center to yellow at the edges. The background consists of the bright yellow petals of the sunflower.

ISLAND SERIES

Your kitchen is an expression of your own personality. Choosing from the variety of styles, from traditional to contemporary, is a reflection of your inner self. Purity of design , clean lines, the combination of stainless steel and glass come together to produce a statement as personal as your signature.

10

ISLAND SERIES



SIU 5


- Motor: 600 CFM aluminium die-cast motor housing

- Pressure: 480 Pa
- Noise level: 63 dBA /4,9 sones

- Lighting: 4 x 20 W halogen lamps

- Control panel: 4 speed push-button +delay off timer + light switch

- Grease filter: anodized aluminium (5+1 layers)
- : stainless steel baffle filter optional - LBR



SIU 8



SIU 8

- Motor: 600 CFM
- Aluminium die-cast motor housing


- Pressure: 480 Pa
- Noise level: 63 dBA /4,9 sones

- Lighting: 4 x 20 W halogen lamps




- Control panel: 4 speed push-button +delay off timer + light switch

- Grease filter: anodized aluminium (5+1 layers)
- : stainless steel baffle filter optional - LBR



SIU 3



11

ISLAND SERIES



- Motor: 600 CFM

- Aluminium die-cast motor housing

- Pressure: 480 Pa

- Noise level: 63 dBA /4,9 sones

- Lighting: 4 x 20 W adjustable dichroic

- Control panel: 4 speed push-button +delay off timer + light switch

- Grease filter: anodized aluminium (5+1 layers)
- : stainless steel baffle filter optional - LBR


12

ISLAND SERIES



SIU 401 SCH22

- Motor: 600 CFM
Aluminium die-cast motor housing
- Pressure: 480 Pa
- Noise level: 63 dBA /4,9 sones
- Lighting: 1 x 50 W dichroic lamp
- Control panel: Remote Control
4 speed + delay off timer + light switch
- Grease filter: anodized aluminium (5+1 layers)





SIU401



SIU 401 SCH23

- Motor: 600 CFM
Aluminium die-cast motor housing
- Pressure: 480 Pa
- Noise level: 63 dBA /4,9 sones
- Lighting: 1 x 50 W dichroic lamp
- Control panel: Remote Control
4 speed + delay off timer + light switch
- Grease filter: anodized aluminium (5+1 layers)



SIU405




SIU 405

- Motor: 600 CFM
Aluminium die-cast motor housing
- Pressure: 480 Pa
- Noise level: 63 dBA /4,9 sones
- Lighting: 1 x 50 W dichroic lamp
- Control panel: Remote Control
4 speed + delay off timer + light switch
- Grease filter: anodized aluminium (5+1 layers)

13

ISLAND SERIES



14

ISLAND SERIES

SIU 404

- Motor: 600 CFM

Aluminium die-cast motor housing



- Pressure: 480 Pa

- Noise level: 63 dBA /4,9 sones



- Lighting: 1 x 50 W dichroic lamp



- Control panel: Remote Control


4 speed + delay off timer + light switch

- Grease filter: anodized aluminium (5+1 layers)

15


ISLAND SERIES

SIU 404



Ceiling Heights
Min 101"
Max 116"

Based on 30"
above range



WALL SERIES

The superior ventilation solutions are an expression of real passion.
The sleekness of the stainless steel, the perfection of the glass and the
most advanced technology are an original choice for people who pursue
exclusive elegance and functionality in their kitchens.


18

WALL SERIES





Motor: 600 CFM
Aluminium die-cast motor housing

- Motor: 600 CFM
 - Aluminium die-cast motor housing
 - Pressure: 480 Pa
 - Noise level: 63 dBA /4,9 sones
 - Lighting: 2 x 20 W halogen lamps
 - Control panel: 4 speed + delay off timer + light switch
 - Grease filter: anodized aluminium (5 + 1 layers)
: stainless steel baffle filter optional - LBR



SU 1*

- Motor: 600 CFM
 - Aluminium die-cast motor housing
 - Pressure: 480 Pa
 - Noise level: 63 dBA /4,9 sones
 - Lighting: 2 x 20 W halogen lamps
 - Control panel: 4 speed + delay off timer + light switch
 - Grease filter: anodized aluminium (5+1 layers)
 - : stainless steel baffle filter optional - LBR
 - * SUE version available (24"-30"-36")




SUZ



www.kitchenaid.com

SU3



- Motor: 600 CFM
Aluminium die-cast motor housing
 - Pressure: 480 Pa
 - Noise level: 63 dBA /4,9 sones


 - Lighting: 2 x 20 W halogen lamps

 - 2 3 4 5 6
 - Control panel: 4 speed + delay off timer + light switch
 - Grease filter: anodized aluminium (5+1 layers)
: stainless steel baffle filter optional - LBR



19

WALL SERIES





SU 7

- Motor: 600 CFM
Aluminium die-cast motor housing




- Pressure: 480 Pa
- Noise level: 63 dBA /4,9 sones

- Lighting: 2 x 20 W halogen lamps



- Control panel:4 speed + delay off timer + light switch

- Grease filter: anodized aluminium (5+1 layers)
: stainless steel baffle filter optional - LBR



SU 5

- Motor: 600 CFM
Aluminium die-cast motor housing
- Pressure: 480 Pa
- Noise level: 63 dBA /4,9 sones
- Lighting: 2 x 20 W halogen lamps



- Control panel:4 speed + delay off timer + light switch
- Grease filter: anodized aluminium (5+1 layers)
: stainless steel baffle filter optional - LBR




SU 22

- Motor: 600 CFM
Aluminium die-cast motor housing
- Pressure: 480 Pa
- Noise level: 63 dBA /4,9 sones
- Lighting: 2 x 20 W adjustable dichroic lamps



- Control panel:4 speed + delay off timer + light switch



- Grease filter: anodized aluminium (5+1 layers)
: stainless steel baffle filter optional - LBR



SU 23

- Motor: 600 CFM
Aluminium die-cast motor housing





- Pressure: 480 Pa
- Noise level: 63 dBA /4,9 sones

- Lighting: 2 x 20 W adjustable dichroic lamps



- Control panel:4 speed + delay off timer + light switch

- Grease filter: anodized aluminium (5+1 layers)
: stainless steel baffle filter optional - LBR





SU 31


- Motor: 600 CFM
Aluminium die-cast motor housing

- Pressure: 480 Pa
- Noise level: 63 dBA /4,9 sones


- Lighting: 2 x 20 W halogen lamps

- Control panel: 4 speed + delay off timer + light switch

- Grease filter: anodized aluminium (5+1 layers)
: stainless steel baffle filter optional - LBR



SU31



SU 26

- Motor: 600 CFM
Aluminium die-cast motor housing

- Pressure: 480 Pa
- Noise level: 63 dBA /4,9 sones

- Lighting: 2 x 20 W halogen lamps

- Control panel: 4 speed + delay off timer + light switch

- Grease filter: anodized aluminium (5+1 layers)
: stainless steel baffle filter optional - LBR



SU26



SU 36

- Motor: 600 CFM
Aluminium die-cast motor housing

- Pressure: 480 Pa
- Noise level: 63 dBA /4,9 sones


- Lighting: 2 x 20 W halogen lamps

- Control panel: 4 speed + delay off timer + light switch

- Grease filter: anodized aluminium (5+1 layers)
: stainless steel baffle filter optional - LBR



SU36



SU39



SU 39


- Motor: 600 CFM
Aluminium die-cast motor housing

- Pressure: 480 Pa
- Noise level: 63 dBA /4,9 sones

- Lighting: 2 x 20 W halogen lamps

- Control panel: 4 speed + delay off timer + light switch

- Grease filter: anodized aluminium (5+1 layers)
: stainless steel baffle filter optional - LBR



24

WALL SERIES

SU47-P

SU 47-P



- Motor: 600 CFM
Aluminium die-cast motor housing


- Pressure: 480 Pa
- Noise level: 63 dBA /4,9 sones

- Lighting: 2 x 20 W halogen lamps



- Control panel: 4 speed + delay off timer + light switch

- Grease filter: anodized aluminium (5+1 layers)



25

WALL SERIES

SU207

SU202

SCH 14

SU 202 SCH14




- Motor: 600 CFM
Aluminium die-cast motor housing

- Pressure: 480 Pa
- Noise level: 63 dBA /4.9 sones

- Lighting: 1 x 50 W dichroic lamp

- Control panel: Remote control 4 speed + delay off timer + light switch

- Grease filter: anodized aluminium (5+1 layers)



SU 207




- Motor: 600 CFM
Aluminium die-cast motor housing

- Pressure: 480 Pa
- Noise level: 63 dBA /4.1 sones

- Lighting: 1 x 50 W dichroic lamp

- Control panel: Remote control 4 speed + delay off timer + light switch

- Grease filter: anodized aluminium (5+1 layers)

The background of the advertisement features a dramatic, moody scene at dusk or night. A large, luminous full moon hangs in the upper right corner, casting a soft glow. Below it, the silhouettes of bare trees stand against a dark, hazy sky. The overall atmosphere is mysterious and elegant.

BUILT IN SERIES

Elegant and unobtrusive on both Island or wall applications, the built-in products are the perfect solution for limited space applications or minimalist kitchen design.

28



BUILT-IN SERIES

SU 900 - SUT 900

- Motor: 600 CFM
Aluminium die-cast motor housing



- Pressure: 480 Pa
- Noise level: 63 dBA /4,9 sones




- Lighting: 2 x 20 W halogen lamps

-
- Control panel: SU 900 - Push button
SUT 900 - Remote control
4 speed + delay off timer + light switch



-
- Grease filter: anodized aluminium (5+1 layers)
 - Optional canopy (SCH 31A) available
 - Optional liners



SUF-1

SUF-1

29

BUILT-IN SERIES

SUF-1

- Motor: 375 CFM
Aluminium die-cast motor housing




- Pressure: 430 Pa
- Noise level: 57 dBA /4,2 sones



- Lighting: 2 x 20 W halogen lamps




-
- Control panel: 3 speed push-button + light switch




- Grease filter: anodized aluminium (5+1) layers
: stainless steel baffle filter optional

ACCESSORIES



SCH 31A

Decorative canopy for mounting SU900 series into wall cabinet-fits to the underside of the cabinet. Attaches to the underside of cabinet or into the sides of adjacent cabinets.



* = SU 900 - 52 / SUT 900 - 52 for 30"

* = SU 900 - 70 / SUT 900 - 70 for 36"

DF

(air deviator for use with KF when recirculating)



LBR

(stainless steel baffle filter - optional upgrade)



KF

(charcoal filters for use with DF when recirculating)

TECHNOLOGIES APPLIED

SU - SIU

- Motor: 600 CFM

Aluminium die-cast motor housing



- Pressure: 480 Pa
- Noise level: 63 dBA /4,9 sones
- Lighting: 2 x 20 W halogen lamps for SU1, SU2, SU3, SU4, SU5, SU7, SU31, SU36, SU39, SU26.
2 x 20 W adjustable dichroic lamps for SU22, SU23,
4 x 20 W halogen lamps for SIU5, SIU8.
4 x 20 W adjustable dichroic lamps for SIU3.
1 x 50 W dichroic lamps for SIU401, SIU404, SIU405, SU202, SU207.
- Control panel: 4 speed push-button + delay off timer + light switch



Remote Control

- Remote control for SIU401, SIU404, SIU405, SU202, SU207.

SUF - SUE VERSION

- Motor: 375 CFM

Aluminium die-cast motor housing



- Pressure: 430 Pa
- Noise level: 57 dBA /4,2 sones
- Lighting: 2 x 20 W halogen lamp
- Control panel: control 3 speed push button + light switch



32

ACCESSORIES

ISLAND STRUCTURE
(PATENTED)



SU-PROF.

- Dual EBM Motors - 1200 CFM



- Pressure: 800 Pa
- Noise level: 66 dBA /5,1 sones
- Lighting: 2 x 20 W dichroic for SU 901
2 x 20 W halogen for SU 54 (36")
4 x 20 W halogen for SU 54 (48")



- Control panel: control 4 speed push button + delay off timer + light switch